#### **Real Numbers**

<1M>
1.Determine .875 is terminating or non-terminating.
2.H.C.F of 3638 and 3587 is
(A) 13
(B) 17
(C) 19
(D) 23
3.Why is7x11x13+7 a composite integer. <\$>
4<#>
5.H.C.F of 3638 and 3587 is
(A) 13
(B) 17
(C) 19
(D) 23
6.Determine the prime factorization of the number 556920.
o. Betermine the prime ractorization of the number 536326.
7. Find the HCF of 96 and 404 by prime factorization method. Hence, find the LCM
(A) 1000
(B) 9600
(C) 9640
(D) 9696
8.Determine the prime factorization of the number 556920.
9.H.C.F of two integers 26, 91 is 13 what will be its L.C.M.?
10.H.C.F of 3638 and 3587 is
(A) 13
(B) 17
(C) 19
(D) 23
11.Express 140 in its prime factor.
13
12.Without actual division, state whether the $2^0 \times 5^7$ is terminating or non terminating rational numbers.
13.Why is7x11x13+7 a composite integer.
14.Explain why 7 x 11 x 13 + 13 and 7 x 6 x 5 x 4 x 3 x 1 + 5 are composite numbers
(A) Product of prime factor
(B) Composite None
(C) Both of these
(D) None of these
45.51
15.Find out HCF of 867 and 255 by using Euclid Division Algorithm

(B) 45 (C) 50
(D) 55
16.The length, breadth and height of a room are 8 m 25cm, 6m 75cm and 7m 50cm respectively. Determine the longest tape, which can measure the three dimensions of the room exactly.  (A) 75 cm  (B) 150 cm  (C) 90 cm  (D) 180 cm
17.If the HCF of 210 and 55 is expressible in the form 210 x 5 + 55y, find y (A) 19
(B) 15
(C) -19
(D) -21
18.Why is7x11x13+7 a composite integer. <\$>
19.Determine the prime factorization of the number 556920.
20.Find the HCF of 96 and 404 by prime factorization method. Hence, find the LCM (A) 1000 (B) 9600 (C) 9640 (D) 9696
21.If the HCF of 210 and 55 is expressible in the form 210 x 5 + 55y, find y (A) 19 (B) 15 (C) -19 (D) -21
22.H.C.F of two integers 26, 91 is 13 what will be its L.C.M.?
23.Determine .875 is terminating or non-terminating.
24.Express 140 in its prime factor.
25.<\$
26.Why is7x11x13+7 a composite integer.
27. Find the greatest possible rate at which a man should walk to cover a distance of 70 km and 245 km in exact number of days?  (A) 55
(B) 60
(C) 35
(D) 45
28.Why is7x11x13+7 a composite integer. <\$>
29.Why is7x11x13+7 a composite integer.
<\$>

30.Why is7x11x13+7 a composite integer. <\$>
31.Why is7x11x13+7 a composite integer. <\$>
32.Why is7x11x13+7 a composite integer. <\$>
33.Why is7x11x13+7 a composite integer. <\$>
34.Without actual division, state whether the $\frac{13}{2^0 \times 5^7}$ is terminating or non terminating rational numbers.
35.is a
(A) Terminating decimal
(B) Non-terminating decimal
(C) Cannot be determined
(D) None of these
36.Two tankers contain 850 litres and 680 litres of petrol respectively. Find the maximum capacity of container which can measure the petrol of either tanker in exact number of times.  (A) 135  (B) 160
(C) 170
(D) 210
37.Find the largest number which divides 245 and 1029 leaving remainder 5 in each case.  (A) 48  (B) 64
(C) 20
(D) 16
38.Find out HCF of 38,220 and 196 by using Euclid Division Algorithm (A) 192
(B) 190
(C) 196
(D) 198
39. Which of the following is non terminating repeating decimals?
(A) 3125 17
(B) 8
64
(c) $455$
129

40. Find the greatest number of 6 digits exactly divisible by 24, 15 and 36  $\,$ 

(A) 999999

(D)  $2^25^77^5$ 

(B) 999789

(C) 999000 (D) 999720
41.Find the HCF and LCM of 90 and 144 by the prime factorization method (A) 15, 20 (B) 15, 720 (C) 18, 720 (D) None of these
42.2525 is  (A) a composite number  (B) a natural number  (C) an irrational number  (D) both (1) and (2)
43.If the sum of two numbers is 75 and the H.C.F. and L.C.M. of these numbers are 5 and 240 respectively, then the sum of the reciprocals of the numbers is equal to:
(A) $\frac{\frac{1}{8}}{1}$
(B) $\frac{-1}{16}$
(c) $\frac{4}{4}$ (D) $\frac{1}{20}$
44. Three bells chime at an interval of 18, 24 and 32 minutes respectively. At a certain time they begin to chime together. What length of time will elapse before they chime together again?  (A) 2 hours 24 minutes  (B) 4 hours 48 minutes  (C) 1 hour 36 minutes  (D) 5 hours
45. Find the HCF of 65 and 117 and express it in the form $65m + 117n$ (A) $m = -2$ , $n = -1$
(B) m = 2, n = -1 (C) m = 3, n = -1 (D) m = 2, n = 1
46.Given H.C.F (306, 657) = 9, find L.C.M. (306, 637) (A) 22222 (B) 22328 (C) 22302 (D) 22338
47. There is a circular path around a sports field. Priya takes 18 minutes to drive one round of the field, while Ravish takes 12 minutes for the same. Suppose they both start at the same point and at the same time, and go in the same direction. After how many minutes will they meet again at the starting point (A) 30 (B) 36

(C) 40 (D) 26

1 5 _
$\frac{3-}{4}$ , and 8 kms per hour respectively. When will they meet at the starting point?
,
49. Find the H.C.F and L.C.M. of 25152 and 12156 by using the fundamental theorem of Arithmetic
(A) 24457576
(B) 25478976
(C) 25478679
(b) 24456567
(D) 24430307
50. Find the largest number that will divide 2053 and 967 and leaves a remainder of 5 and 7 respectively.
(A) 128
(B) 54
(C) 256
(D) 64
51.The L.C.M. of two numbers is 45 times their H.C.F. If one of the numbers is 125 and the sum of H.C.F.
and L.C.M. is 1150, the other number is:
52.A man was engaged for a certain number of days for Rs. 404.30 but because of being absent for some
days he was paid only Rs. 279.90. His daily wages cannot exceed by:
(A) Rs. 29.10 p
(B) Rs. 31.30 p
(C) Rs. 31.10 p
(D) Rs. 31.41 p
53. The areas of three fields are 165m2, 195m2 and 285m2respectively. From these flowers beds of
equal size are to be made. If the breadth of each bed be 3 metres, what will be the maximum length of
each bed.
each bea.
each bed.
54.Use Euclid's division algorithm to find the HCF of 210 and 55.
54.Use Euclid's division algorithm to find the HCF of 210 and 55.
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm  (B) 77cm
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm  (B) 77cm  (C) 75cm
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm  (B) 77cm
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm  (B) 77cm  (C) 75cm  (D) 80cm
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm  (B) 77cm  (C) 75cm  (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject.
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm  (B) 77cm  (C) 75cm  (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject.
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27 (D) 19
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27 (D) 19
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively.  Determine the longest rod which can measure the three dimensions of the room exactly  (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject.  (A) 17 (B) 21 (C) 27 (D) 19  57.In a school there are two sections - section A and section B of classX. There are 32 students in section A and 36 students in section B. Determine the minimum number of books required for their class library
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27 (D) 19  57.In a school there are two sections - section A and section B of classX. There are 32 students in section A and 36 students in section B. Determine the minimum number of books required for their class library so that they can be distributed equally among students of section A or section B (A) 300
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27 (D) 19  57.In a school there are two sections - section A and section B of classX. There are 32 students in section A and 36 students in section B. Determine the minimum number of books required for their class library so that they can be distributed equally among students of section A or section B (A) 300 (B) 296
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27 (D) 19  57.In a school there are two sections - section A and section B of classX. There are 32 students in section A and 36 students in section B. Determine the minimum number of books required for their class library so that they can be distributed equally among students of section A or section B (A) 300 (B) 296 (C) 288
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27 (D) 19  57.In a school there are two sections - section A and section B of classX. There are 32 students in section A and 36 students in section B. Determine the minimum number of books required for their class library so that they can be distributed equally among students of section A or section B (A) 300 (B) 296
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject.  (A) 17 (B) 21 (C) 27 (D) 19  57.In a school there are two sections - section A and section B of classX. There are 32 students in section A and 36 students in section B. Determine the minimum number of books required for their class library so that they can be distributed equally among students of section A or section B (A) 300 (B) 296 (C) 288 (D) 278
54.Use Euclid's division algorithm to find the HCF of 210 and 55.  55.The length, breadth and height of a room are 8m25cm, 6m75cm and 4m50cmrespectively. Determine the longest rod which can measure the three dimensions of the room exactly (A) 65cm (B) 77cm (C) 75cm (D) 80cm  56.In a seminar, the number of participants in Hindi, English and Mathematics are 60, 84 and 108 respectively. Find the maximum number of rooms required if in each room the same number of participants are to be seated and all of them being in the same subject. (A) 17 (B) 21 (C) 27 (D) 19  57.In a school there are two sections - section A and section B of classX. There are 32 students in section A and 36 students in section B. Determine the minimum number of books required for their class library so that they can be distributed equally among students of section A or section B (A) 300 (B) 296 (C) 288

(B) 9696
(C) 9292
(D) 9393
59. Suppose you have 108 green marbles and 144 red marbles. You decide to separate them into packages of equal number of marbles. Find the maximum possible number of marbles in each package. (A) 4 (B) 36 (C) 9 (D) 12
<3M>
60.Express 32760 as the product of its prime factors.
61.Use Euclid's algorithm to find the HCF of 4052 and 12576.
62.Show that $3\sqrt{2}$ is irrational.
63.is irrational.
64. Find the HCF and LCM of 6, 72 and 120, using the prime factorisation method.
65. Find the HCF of 96 and 404 by the prime factorisation method. Hence, find their LCM.
66. Find the LCM and HCF of 6 and 20 by the prime factorisation method.
67.A sweetseller has 420 kaju barfis and 130 badam barfis. She wants to stack them in such a way that each stack has the same number, and they take up the least area of the tray. What is the maximum number of barfis that can be placed in each stack for this purpose?
68. Show that 5 - $\sqrt{3}$ is irrational.
69. Show that any positive odd integer is of the form $4q + 1$ or $4q + 3$ , where q is some integer.