

Chapter - 5

(Introduction to Euclid's Geometry)

The Greeks developed geometry in a systematic manner. Euclid (300 B.C.) a Greek mathematician, father of geometry introduced the method of proving mathematical results by using deductive logical reasoning and the previously proved result. The Geometry of plane figure is known as "Euclidean Geometry".

Axioms :

The basic facts which are taken for granted without proof are called axioms. Some of Euclid's axioms are

(i) Things which are equal to the same thing are equal to one another. i.e.

$$a = b, \quad b = c \Rightarrow a = c$$

(ii) If equals are added to equals, the wholes are equal i.e. $a = b \Rightarrow a + c = b + c$

(iii) If equals are subtracted from equals, the remainders are equal i.e.

$$a = b \Rightarrow a - c = b - c$$

(iv) Things which coincide with one another are equal to one another.

(v) The whole is greater than the part.

Postulates :

Axioms are the general statements, postulates are the axioms relating to a particular field.

Euclid's five postulates are.

(i) A straight line may be drawn from any one point to any other point.

(ii) A terminated line can be produced indefinitely.

(iii) A circle can be drawn with any centre and any radius.


(iv) All right angles are equal to one another.

(v) If a straight line falling on two straight lines makes the interior angles on the same side of it taken together less than two right angles, then the two straight lines, if

- (b) There are infinite number of lines which pass through two distinct points.
(c) Two distinct lines cannot have more than one point in common.
(d) If two circles are equal, then their radii are not equal. Ans.(c)
- (8) Euclid divided his famous treatise "The Element" into
(a) 13 chapters (b) 12 Chapters
(c) 11 Chapters (d) 9 Chapters Ans.(a)
- (9) Thales belongs to the country.
(a) Babylonia (b) Egypt (c) Greece (d) Rome Ans.(c)

Section - B

- (10) If $AB=CD$ can you say that $AC=BD$?
Give reasons for your answer.



- (11) In how many points two distinct lines can intersect.
(12) In how many lines two distinct planes can intersect.

Section - C

- (13) If a point C lies between two points A and B such that $AC=CB$ then prove that $AC = \frac{1}{2} AB$. Explain by drawing the figure.
- (14) In the figure, $AC=BD$ prove that $AB=CD$.
-
- A horizontal line segment with four points labeled A, B, C, and D from left to right. Point A is at the far left, followed by B, then C, and D at the far right.
- (15) If C is called a mid point of line segment AB. Prove that every line segment has one and only one mid point.
- (16) Define the following terms :
(i) Parallel lines (ii) Concurrent lines (iii) Intersecting lines
- (17) State Euclid's any three postulates.
(18) State Euclid's any three axioms.